## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

### **PCT**



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4:

(11) International Publication Number: WO 88/ 05052

(43) International Publication Date: 14 July 1988 (14.07.88)

(21) International Application Number: PCT/US88/00051

(22) International Filing Date: 7 January 1988 (07.01.88)

(31) Priority Application Number: 001,245

(32) Priority Date: 7 January 1987 (07.01.87)

(33) Priority Country: US

(71) Applicant: THE ADMINISTRATORS OF THE TU-LANE EDUCATIONAL FUND [US/US]; 1430 Tulane Avenue, New Orleans, LA 70112 (US).

(72) Inventors: COY, David, H.; 4319 Perrier Street, New Orleans, LA 70115 (US). MURPHY, William, A.; Route 8, Box 979, Covington, LA 70433 (US).

(74) Agent: CLARK, Paul, T.; Fish & Richardson, One Financial Center, Suite 2500, Boston, MA 02111 (US).

(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent).

Published

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: HEPTAPEPTIDE

(57) Abstract

Heptapeptide analogs of somatastatin which inhibit secretion of growth hormone.

BEST AVAILABLE COPY

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

					•
AT AU BB BE BG BJ CF CG CH CM DE	Austria Australia Barbados Belgium Bulgaria Benin Brazil Central African Republic Congo Switzerland Cameroon Germany, Federal Republic of	FR GA GB HU IT JP KP KR LI LI LU	France Gabon United Kingdom Hungary Italy Japan Democratic People's Republic of Korea Republic of Korea Liechtenstein Sri Lanka	ML MR MW NL NO RO SD SE SN SU TD	Mali Mauritania Malawi Netherlands Norway Romania Sudan Sweden Senegal Soviet Union Chad
		_	_		Chad
DK	Denmark	MC	Luxembourg Monaco	TG US	Togo
FI	Finland	MG	Madagascar	us	United States of America

- 1 -

#### HEPTAPEPTIDE

#### Background of the Invention

This invention relates to therapeutic peptides.

A number of somatostatin analogs exhibiting

GH-release-inhibiting activity have been described in the literature, including analogs containing fewer than the naturally occurring fourteen amino acids. For example, Coy et al. U.S. Patent No. 4,485,101, hereby incorporated by reference, describes dodecapeptides having an N-terminal acetyl group, a C-terminal NH<sub>2</sub>, D-Trp at position 6, and p-Cl-Phe at position 4. (Herein, when no designation of configuration is given, the L-isomer is intended.)

#### Summary of the Invention

In general, the invention features a heptapeptide of the formula:

 $\begin{array}{c} {\rm A_1-A_2-A_3-A_4-A_5-Cys-A_6-A_7} \\ {\rm wherein} \ {\rm A_1} \ {\rm is} \ {\rm SH-CH_2CH-CO_2H} \ {\rm or} \ {\rm SH-CH-CO_2H} \\ \\ \\ \end{array}$ 

- 20 (where Q is H or a  $C_1$ - $C_8$  alkyl group);  $A_2$  is o-, m-, or more preferably, p-substituted X-Phe or X-D-Phe (where X is H, halogen, NH<sub>2</sub>, NO<sub>2</sub>, OH,  $C_1$ - $C_3$  alkyl, or  $C_1$ - $C_3$  alkoxy);  $A_3$  is X-Trp, X-D-Trp,  $\alpha$ -N-methyl-X-Trp, or  $\alpha$ -N-methyl-D-X-Trp (where X is
- 25 a substituent on the benzene ring and is  $H_1$  halogen,  $NH_2$ ,  $NO_2$ , OH,  $C_1$ - $C_3$  alkyl, or  $C_1$ - $C_3$  alkoxy);  $A_4$  is Lys,  $\alpha$ -N-methyl-Lys, or  $\epsilon$ -N- $R_1$ -Lys (where  $R_1$  is  $C_1$ - $C_3$  alkyl);  $A_5$  is Val
- or Thr; A<sub>6</sub> is Pro or -C-N-CH-T, where Z is H or CH<sub>3</sub> and T is H, CH<sub>2</sub>OH, CH<sub>2</sub>CH<sub>2</sub>OH, CH<sub>2</sub>CH<sub>2</sub>OH, CH(CH<sub>3</sub>)OH, isobutyl, benzyl (substituted in the o-,

m-, or p- positions with H, halogen,  $NH_2$ ,  $NO_2$ , OH,  $C_1-C_3$  alkyl, or  $C_1-C_3$  alkoxy),  $CH_2-B$ -naphthyl (substituted on the benzene ring with H, halogen,  $NH_2$ , OH,  $C_1-C_3$  alkyl, or  $C_1-C_3$  alkoxy), or  $CH_2$ -pyridyl (substituted on the benzene ring wtih H, halogen,  $NH_2$ ,  $NO_2$ , OH,  $C_1-C_3$  alkyl, or  $C_1-C_3$ 

alkoxy); and  $A_7$  is  $COR_2$  (where  $R_2$  is H or  $C_1-C_3$  alkyl),  $CH_2OH$ ,  $CH_2OCR_3$  (where  $R_3$  is  $C_1-C_{12}$  alkyl,  $C_8-C_{12}$  aralkyl, or phenoxy), or  $R_4$  (where  $R_4$  is H

or  $C_1-C_3$  alkyl and  $R_5$  is H,  $C_1-C_3$  alkyl, phenyl, or  $C_7-C_{10}$  aralkyl); or a pharmaceutically acceptable salt thereof.

In the formula given above, the configuration of the molecule at the carbon atom to which T is bonded is not given, indicating that the amino acid residue of which T is a substituent can have the D- or L-configuration.

Preferred compounds of the invention include MPA-Tyr-D-Trp-Lys-Val-Cys-Thr-NH<sub>2</sub> (MPA = mercaptopropionic acid);

MPA-Tyr-D-Trp-Lys-Val-Cys-Phe-NH<sub>2</sub>; MPA-Tyr-D-Trp-Lys-Val-Cys-p-Cl-Phe-NH<sub>2</sub>; and MPA-Tyr-D-Trp-Lys-Val-Cys-ß-Nal-NH<sub>2</sub>.

In other preferred embodiments, a therapeutically effective amount of the therapeutic compound and a pharmaceutically acceptable carrier substance, e.g. magnesium carbonate, lactose, or a phospholipid with which the therapeutic compound can form a micelle, together form a therapeutic composition, e.g. a pill, tablet, capsule, or liquid for oral

- 3 -

administration to a human patient, a spreadable cream, gel, lotion, or ointment for application to the skin of a human patient in need of the compound, a liquid capable of being administered nasally as drops or spray, 5 or a liquid capable of intravenous, parenteral, subcutaneous, or intraperitoneal administration. pill, tablet or capsule can be coated with a substance capable of protecting the composition from the gastric acid in the patient's stomach for a period of time sufficient to allow the composition to pass -10 undisintegrated into the patient's small intestine. therapeutic composition can also be in the form of a biodegradable sustained release formulation for intramuscular administration. For maximum efficacy, 15 zero order release is desired. Zero order release can be obtained using an implantable or external pump, e.g., Infusoid $^{TM}$  pump, to administer the therapeutic composition.

The compounds of the invention are active in inhibiting the secretion of GH, insulin, and glucagon.

Other features and advantages of the invention will be apparent from the following description of the preferred embodiments thereof, and from the claims.

#### Description of the Preferred Embodiments

#### 25. Structure

The compounds of the invention have the general formula recited in the <u>Summary of the Invention</u>, above. They are all heptapeptide analogs of somatostatin which have Cys at position 6; this residue forms a ring with the residue at position 1 via a disulfide bond. It has been found that MPA at position 1; Tyr at position 2; D-Trp at position 3; Lys at position 4; and Val at position 5 are modifications which particularly enhance activity.

10

- 4 -

The compounds can be provided in the form of pharmaceutically acceptable salts. Examples of preferred salts are those with therapeutically acceptable organic acids, e.g., acetic, lactic, maleic, citric, malic, ascorbic, succinic, benzoic, salicylic, methanesulfonic, toluenesulfonic, or pamoic acid, as well as polymeric acids such as tannic acid or carboxymethyl cellulose, and salts with inorganic acids such as the hydrohalic acids, e.g., hydrochloric acid, sulfuric acid, or phosphoric acid.

Synthesis

The synthesis of one heptapeptide follows.

Other heptapeptides can be prepared by making appropriate modifications, within the ability of someone of ordinary skill in this field, of the following synthetic method.

The first step in the preparation of .  $\label{eq:MPA-Tyr-D-Trp-Lys-Val-Cys-Thr-NH}_2 \mbox{ was the preparation of the intermediate}$ 

S-methylbenzyl-3-MPA-Tyr-D-Trp-N-benzyloxycarbonyl-Lys-Val -S- methylbenzyl-Cys-O-benzyl-Thr-benzhydryl amine resin, as follows.

Benzhydrylamine-polystyrene resin (Vega Biochemicals, Inc.) (1.00 g, 0.5 mmole) in the chloride ion form was placed in the reaction vessel of a Beckman 990B peptide synthesizer programmed to perform the following reaction cycle: (a) methylene chloride; (b) 33% trifluoroacetic acid in methylene chloride (2 times for 1 and 25 min. each); (c) methylene chloride; (d) ethanol; (e) methylene chloride; (f) 10% triethylamine in chloroform.

- 5 -

The neutralized resin was stirred with Boc-O-benzyl- threonine and diisopropylcarbodiimide (1.5 mmole each) in methylene chloride for 1 h; the resulting amino acid resin was then cycled through steps (a) to (g) in the above wash program. Next, the following amino acids (1.5 mmole) were coupled successively by the same procedure: Boc-S-methylbenzyl-cysteine, Boc-Val, Boc-N-benzyloxycarbonyl- lysine, Boc-D-Trp, Boc-tyrosine, and Boc-S-methylbenzyl-3-mercaptopropionic acid. After washing and drying, the completed resin weighed 1.89 g.

5

10

The resin was mixed with anisole (4 ml) and anhydrous hydrogen fluoride (36 ml) at 0°C and stirred for 45 min. Excess hydrogen fluoride was evaporated rapidly under a stream of dry nitrogen and free peptide precipitated and washed with ether. The crude peptide was then dissolved in 800 ml of 90% acetic acid to which was added I, in methanol until a permanent brown color was present. The solution was then stirred for 1 h before removing the solvent in vacuo. The resulting oil was dissolved in a minimum volume of 50% acetic acid and eluted on a column (2.5 X 100 mm) of Sephadex G-25. Fractions containing a major component by uv absorption and thin layer chromatography were then pooled, evaporated to a small volume, and applied to a column (2.5 X 50 cm) of Whatman LRP-1 octadecylsilane (15-20 uM).

The column was eluted with a linear gradient of 10-50% acetonitrile in 0.1% trifluoroacetic acid in water. Fractions were examined by thin layer chromatography and analytical high performance liquid chromatography and pooled to give maximum purity. Repeated lyophilization of the solution from water yielded 129 mg of the product as a white, fluffy powder.

The product was found to be homogeneous by Hplc and Tlc. Amino acid analysis of an acid hydrolysate and fast atom bombardment mass spectrometry confirmed the composition of the heptapeptide.

The heptapeptides of the invention having the formulae MPA-Tyr-D-Trp-Lys-Val-Cys-Phe-NH<sub>2</sub>; MPA-Tyr-D-Trp-Lys-Val-Cys- p-Cl-Phe-NH<sub>2</sub>; and MPA-Tyr-D-Trp-Lys-Val-Cys-B-Nal-NH<sub>2</sub> were made according to methods analogous to those described above.

10 <u>Use</u>

When administered to mammals, particularly humans, (e.g. orally, topically, intravenously, parenterally in a sustained release, biodegradable form, nasally, or by suppository), the compounds can be effective to inhibit GH release as well as to inhibit insulin, glucagon, and pancreatic exocrine secretion, and to therapeutically affect the central nervous system.

The compounds can be administered to a mammal, e.g. a human, in the dosages used for somatostatin or, because of their greater potency, in smaller dosages. The compounds of the invention can be used for the treatment of cancer, particularly growth hormone-dependent cancer (e.g., bone, cartilage, pancreas (endocrine and exocrine), prostate, or breast), acromegaly and related hypersecretory endocrine states, or of bleeding ulcers in emergency patients and in those suffering from pancreatitis or diarrhea. The compounds can also be used in the management of diabetes and to protect the liver of patients suffering from cirrhosis and hepatitis. The compounds can also be used to treat Alzheimer's disease, as analgesics to treat pain by acting specifically on certain opiate receptors, and as

- 7 -

gastric cytoprotective compounds for ulcer therapy. The compounds can also be used to treat certain types of mushroom poisoning.

The compounds can also be used to treat diabetes-related retinopathy. The anti-cancer activity of the compounds may be related to their ability to antagonize cancer-related growth factors such as epidermal growth factor.

5

The compounds can be administered to a mammal, 10 e.g., a human, in a dosage of 0.01 to 1000 mcg/kg/day, preferably 0.1 to 100 mcg/kg/day.

Other embodiments are within the following claims.

#### Claims

1. A heptapeptide of the formula  $A_1 - A_2 - A_3 - A_4 - A_5 - Cys - A_6 - A_7$ wherein A<sub>1</sub> is SH-CH<sub>2</sub>-CH-CO<sub>2</sub>H or SH-CH-CO<sub>2</sub>H (where Q is

H or a  $C_1-C_8$  alkyl group);  $A_2$  is o-, m-, or psubstituted X-Phe or X-D-Phe (where X is H, halogen,  $NH_2$ ,  $NO_2$ , OH,  $C_1-C_3$  alkyl, or  $C_1-C_3$  alkoxy);  $A_3$  is X-Trp, X-D-Trp,  $\alpha$ -N-methyl-X-Trp, or

 $\alpha-N-methyl-D-X-Trp$  (where X is a substituent on the benzene ring and is H, halogen, NH2, NO2, OH,  $C_1$ - $C_3$  alkyl, or  $C_1$ - $C_3$  alkoxy);  $A_4$  is Lys, a-N-methyl-Lys, or  $\epsilon$ -N-R<sub>1</sub>-Lys (where R<sub>1</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl); A<sub>5</sub> is Val or Thr; A6 is

Pro or -C-N-CH-T, where Z is H or  $CH_3$  and T is H,  $\mathrm{CH_2OH}$ ,  $\mathrm{CH_2CH_2OH}$ ,  $\mathrm{CH_2CH_2OH}$ ,  $\mathrm{CH(CH_3)OH}$ ; isobutyl, benzyl (substituted in the o-, m, or ppositions with H, halogen,  $NH_2$ ,  $NO_2$ , OH,  $C_1-C_3$ 

alkyl, or  $C_1-C_3$  alkoxy),  $CH_2-B-naphthyl$ (substituted on the benzene ring with H, halogen, NH2,  $NO_2$ , OH,  $C_1$ - $C_3$  alkyl, or  $C_1$ - $C_3$  alkoxy), or CH2-pyridyl (substituted on the benzene ring with H1 halogen,  $NH_2$ , OH,  $C_1-C_3$  alkyl, or  $C_1-C_3$ alkoxy;

and  $A_7$  is  $COR_2$  (where  $R_2$  is H or  $C_1-C_3$  alkyl),  $CH_2OH$ ,  $CH_2OCR_3$  (where  $R_3$  is  $C_1-C_3$  alkyl, C8-C12

aralkyl, or phenoxy), or CN (where R4 is H or  $C_1-C_3$ 

- 9 -

alkyl and  $R_5$  is H,  $C_1$ - $C_3$  alkyl, phenyl, or  $C_7$ - $C_{10}$  aralkyl); or a pharmaceutically acceptable salt thereof.

- 2. The heptapeptide of claim 1 having the formula methylpropionic acid-Tyr-D-Trp-Lys-Val-Cys-Thr-NH<sub>2</sub>, or a pharmaceutically acceptable salt thereof.
  - 3. The heptapeptide of claim 1 having the formula methylpropionic
- acid-Tyr-D-Trp-Lys-Val-Cys-Phe-NH<sub>2</sub>, or a
  pharmaceutically acceptable salt thereof.

30

- 4. The heptapeptide of claim 1 having the formula methylpropionic acid-Tyr-D-Trp-Lys-Val-Cys-p-Cl-Phe-NH<sub>2</sub>, or a pharmaceutically acceptable salt thereof.
- 5. The heptapeptide of claim 1 having the formula methylpropionic acid-Tyr-D-Trp-Lys-Val-Cys-ß-Nal-NH<sub>2</sub>, or a pharmaceutically acceptable salt thereof.
- 20 6. A therapeutic composition capable of inhibiting the release of growth hormone, insulin, glucagon, or pancreatic exocrine secretion comprising a therapeutically effective amount of the compound of claim 1 together with a pharmaceutically acceptable carrier substance.
  - 7. A method of treating a mammal in need of reduction of growth hormone, insulin, glucagon, or pancreatic exocrine secretion comprising administering to said mammal a therapeutically effective amount of the compound of claim 1.

5

- 8. The therapeutic composition of claim 6 wherein said composition is in the form of a pill, tablet, or capsule for oral administration to a human patient in need of said compound.
- 9. The therapeutic composition of claim 6 wherein said composition is in the form of a liquid for oral administration to a human patient in need of said compound.
- 10. The therapeutic composition of claim 8,

  10 said composition being coated with a substance capable
  of protecting said composition from the gastric acid in
  the stomach of said human patient for a period of time
  sufficient to allow said composition to pass
  undisintegrated into the small intestine of said human

  15 patient.
  - 11. The therapeutic composition of claim 6, said composition being in the form of a cream, gel, spray, or ointment for application to the skin of a human patient in need of said compound.
- 20 12. The therapeutic composition of claim 6, said composition being in the form of a liquid capable of being administered nasally as drops or spray to a human patient in need of said compound.
- 13. The therapeutic composition of claim 6, 25 said composition being in the form of a liquid for intravenous, subcutaneous, parenteral, or intraperitoneal administration to a human patient in need of said compound.
- 14. The therapeutic composition of claim 6, 30 said composition being in the form of a biodegradable sustained release composition for intramuscular administration to a human patient in need of said compound.

## INTERNATIONAL SEARCH REPORT

			International Preparation	70588/00031				
I. CLASS	IFICATIO	N OF SUBJECT MATTER (if several classif	ication symbols apply, indicate all) 6					
TPC	(4):	CO7K 7/06, 7/26; A61K	37/43					
U.S. CL: 530/311, 530/329; 514/16								
II. FIELDS SEARCHED								
Minimum Documentation Searched 7								
Classification System Classification Symbols								
U.S. 530/311, 530/329; 51		530/311, 530/329; 51	4/16					
Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched <sup>9</sup>								
	MENTS C	CONSIDERED TO BE RELEVANT	reserve of the relevant nassages 12	Relevant to Claim No. 13.				
Category *		ion of Document, 11 with Indication, where appr						
A	US, See	A, 4,190,648 (VEBER), entire document.	26 February 1980.	1-14				
A	US, A, 4,291,022 (SANDRIN ET AL), 22 September 1981. See entire document.							
A	US, A, 4,395,403 (BAUER ET AL), . 1-14 26 July 1983. See entire document.							
A	US, A, 4,485,101 (COY ET AL), 27 November 1984. See entire document.							
A	US, A, 4,435,385 (BAUER ET AL), 06 March 1984. See entire document.							
A	US, A, 4,486,415 (FREIDINGER), 1-1 04 December 1984. See entire document.							
A	US, See	A, 4,522,813 (NUTT), 1 entire document.	1 June 1985.	1-14				
A	US, 29 A	A, 4,585,755 (MORGAN E pril 1986. See entire	ET AL), document.	1-14				
* Special categories of cited documents: 10  "A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed  "V. CERTIFICATION  Date of the Actual Completion of the International Search  14 April 1988  International Searching Authority  "I later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to understand the principle or theory underlying the critical to experience:  "" document of particular relevance; the claimed invention cannot be considered to involve an inventive step  "" document of particular relevance; the claimed invention cannot be considered now or								
	/115		Christina Chan Christina Chan	<b>し</b>				

ISA/US

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET	
A <u>Life Sciences</u> , (New York, USA), Volume 34, issued 1984, (VEBER ET AL), "A super active cyclic hexapeptide analog of somatostatin". See pages 1371-1378.	1-14
V. OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE!	
This international search report has not been established in respect of certain claims under Article 17(2) (a) for 1. Claim numbers . because they relate to subject matter 12 not required to be searched by this Aut	l l
2. Claim numbers , because they relate to parts of the international application that do not comply w ments to such an extent that no meaningful international search can be carried out 13, specifically:	ith the prescribed require-
3. Claim numbers, because they are dependent claims not drafted in accordance with the second an PCT Rule 6.4(a).	d third sentences of
VI. ☐ OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2	
This International Searching Authority found multiple inventions in this international application as follows:	
1. As all required additional search fees were timely paid by the applicant, this international search report co of the international application.	ver <b>s</b> all searchable claims
2. As only some of the required additional search fees were timely paid by the applicant, this international those claims of the international application for which fees were paid, specifically claims:	search report covers only
3. No required additional search fees were timely paid by the applicant. Consequently, this international sea the invention first mentioned in the claims; it is covered by claim numbers:	rch report is restricted to
4. As all searchable claims could be searched without effort justifying an additional fee, the international So invite payment of any additional fee.	earching Authority did not
Remark on Protest  The additional search fees were accompanied by applicant's protest.	ĺ
No protest accompanied the payment of additional search fees.	

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:				
☐ BLACK BORDERS				
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
☐ FADED TEXT OR DRAWING				
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS				
☐ GRAY SCALE DOCUMENTS				
☐ LÎNES OR MARKS ON ORIGINAL DOCUMENT				
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY				
□ OTHER:				

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)